

COMMUNITY PHARMACY PATIENT SHARPS BOX EXCHANGE



A service for patients that use sharps as part of their treatment or on-going medical condition to have a safe and convenient means of disposal of full sharps boxes by allowing their return to participating community pharmacies.

Many people need to use sharps, such as needles to inject insulin and fingertip lancing devices, to treat and manage their condition. These should be disposed of in sharps containers.

Sharps should never be disposed of in domestic waste or recycling. To enable people to dispose of sharps safely, disposal should be made as easy as possible.

This service is designed to cater for the return of 1 litre sharps boxes that previously would have been supplied on prescription. Pharmacies will provide 1 litre sharps boxes to any patient returning a yellow lidded or equivalently classified sharps bin to the pharmacy.

How it works

If you already have a sharps box:

- Once the box is full, take it to any participating pharmacy and they will exchange it for a new one

If you do not have a sharps box:

- If you are prescribed any medical appliance which after use would be regarded as an “Infectious Medical Sharp from a household”, the pharmacist will issue you with a sharps box. Once the box is full, return it to the pharmacy to exchange it for a new box.

If you are unsure whether you need a sharps box, ask your pharmacist for advice.

Using your sharps bin

You can use your sharps bin to dispose of medical supplies such as:

- needles
- syringes
- lancets used with finger-pricking devices
- clippers

After you've used needles or similar medical supplies, put them into the sharps bin immediately. Do not try to take them out again.

Boxes must only be filled to the manufacturers' line and should be disposed of every three months, even if they are not full.

While your sharps bin is in use or full and waiting to be taken to the pharmacy, keep it in a safe place so it's not a risk to other people and is out of the reach of children.

For more information on disposing of sharps please visit:

<http://www.nhs.uk/chq/Pages/2421.asp>

[X](#) or

<http://www.diabetes.org.uk>

Cyfnewid Blychau Eitemau Miniog Cleifion yn y Fferyllfa



Gwasanaeth i gleifion sy'n defnyddio offer miniog fel rhan o'u triniaeth neu gyflwr meddygol parhaus i gael dull diogel a chyfleus o gael gwared yn ddiogel ar flychau eitemau miniog llawn, drwy eu dychwelyd i fferyllfeydd cymunedol cyfrannog.

Mae llawer o bobl yn defnyddio offer miniog, fel nodwyddau i chwistrellu inswlin a dyfeisiau

pigo bys, i drin a rheoli eu cyflwr. Dylai'r rhain gael eu gwaredu mewn cynwysyddion eitemau miniog.

Ni ddylid gwaredu nodwyddau mewn gwastraff domestig neu ailgylchu. I alluogi pobl i gael gwared ar eitemau miniog yn ddiogel, dylid bod cael eu gwared yn cael ei wneud mor hawdd â phosibl.

Mae'r gwasanaeth wedi'i gynllunio ar gyfer dychwelyd blychau eitemau miniog 1 litr, y byddai yn flaenorol wedi cael ei darparu ar bresgripsiwn. Bydd fferyllfeydd yn darparu blychau eitemau miniog 1 litr i unrhyw glaf sydd yn dychwelyd blwch â chaead melyn neu flwch eitemau miniog cyfwerth i'r fferyllfa.

Sut mae'n gweithio

Os oes gennych flwch eitem finio eisoes:

- Unwaith y bydd y blwch yn llawn, ewch ag ef i unrhyw fferyllfa sy'n cymryd rhan a byddant yn ei gyfnewid am un newydd.

Os nad oes gennych flwch eitem finio:

- Os ydych yn derbyn unrhyw offer meddygol a fyddai ar ôl eu defnyddio yn cael ei ystyried yn " eitem finio feddygol heintus o gartref", bydd y fferyllfydd yn rhoi blwch offer miniog i chi. Unwaith y bydd y blwch yn llawn, dychwelwch i'r fferyllfa i'w gyfnewid am flwch newydd.

Os ydych yn ansicr os oes angen arnoch bocsg eitemau miniog, gofynnwch i'ch fferyllfydd am gyngor.

Defnyddio eich blwch eitemau miniog

Gallwch ddefnyddio eich blwch eitemau miniog i gael gwared ar gyflenwadau meddygol megis:

- nodwyddau
- chwistrellau
- "lancets" i'w defnyddio gyda dyfeisiau pigo bys-
- clipwyr

Ar ôl i chi ddefnyddio nodwyddau neu gyflenwadau meddygol tebyg, rhwch yn y blwch eitemau miniog ar unwaith. Peidiwch â cheisio i fynd â thynnu nhw allan eto.

Ni ddylid llenwi'r blychau heibio i linell y gwneuthurwyr a dylid eu gwaredu bob tri mis, hyd yn oed os nad ydynt yn llawn.

Tra bod eich bin eitemau miniog yn cael ei ddefnyddio, yn llawn neu'n aros i gael ei dychwelyd i'r fferyllfa, rhaid eu cadw mewn lle diogel fel nad yw'n risg i bobl eraill ac allan o gyrraedd plant.

Am fwy o wybodaeth ynghylch gwaredu eitemau miniog ewch i:

<http://www.nhs.uk/chq/Pages/2421.aspx>

neu <http://www.diabetes.org.uk>